Please cite the article as:

Lu, Y., Adrados, J. S., Chand, S. S., & Wang, L. (2021). Humans Are Not Machines—Anthropocentric Human–Machine Symbiosis for Ultra-Flexible Smart Manufacturing. *Engineering*, 7(6), 734–737. <https://doi.org/10.1016/j.eng.2020.09.018>

Humans are not Machines – Anthropocentric Human-Machine Symbiosis for Ultra-Flexible Smart Manufacturing

Yuqian Lu ^{a*}, Juvenal Sastre Adrados ^a, Saahil Shivneel Chand ^a, Lihui Wang ^{b*}

^a Department of Mechanical Engineering, The University of Auckland, Auckland 1142, New Zealand

^b Department of Production Engineering, KTH Royal Institute of Technology, Stockholm 10044, Sweden

* Corresponding authors. E-mails: yuqian.lu@auckland.ac.nz (Yuqian Lu); lihuiw@kth.se (Lihui Wang)

1. Introduction

The real question is not whether machines think but whether men do. (Burrhus Frederic Skinner)

Dedicated manufacturing systems are fading out as future manufacturing (i.e., Industry 4.0 [1]) demands ultra-flexible smart manufacturing systems that can self-adapt to production process changes resulting from the varied batch sizes of personalized products [2–4]. The manufacturing shop-floor can become an unstructured environment where manufacturing systems and processes change their configurations dynamically via adaptive near-real-time decision-making. One emerging trend to make manufacturing flexible and reconfigurable is to introduce collaborative machines that work alongside humans with high productivity [5–7]. While these devices, powered by artificial intelligence (AI) [7], are radically changing how work gets done and who does it in what way, we believe that the more substantial impact will be in augmenting human capabilities and enhancing human well-being. Future societies will see a harmonious ecosystem in which humans and machines cooperate to meld human cognitive strengths with the unique capabilities of smart machines in order to create intelligent teams that are adaptive to rapidly changing circumstances [8,9].

In our view, we are at the point in time at which Rosenbrock’s warning that “humans should never be subservient to machines and automation, but machines and automation should be subservient to humans” has become a foreseeable possibility [10]. Future smart machines can establish trustworthy relationships with humans via proactive communication, empathic understanding, and need-driven collaborations, which can lead to high-performance human beings and productive yet flexible manufacturing processes. However, little work has been reported on developing a human-centric manufacturing system that places human benefits at the center of the system optimization goal. Research on human-machine collaboration in the manufacturing domain has only focused on human-machine interfaces [11] and human factors in manufacturing systems, such as ergonomics and mental workload, to improve the overall system performance [12]. To bridge this gap, we herein present an anthropocentric human-machine symbiosis framework that augments human capabilities and well-being in an industrial working environment. The essential elements of this framework and the enabling technologies are discussed.

2. Human-machine symbiosis framework

In the following sections, we describe a general human-machine symbiosis framework for the future of collaborative manufacturing. Of particular interest are the following features, which are attributed to human-machine symbiosis: (a) *human centrality* – the ability to focus on human desire and judgment; (b) *social wellness* – the ability to detect and respond to human physical and mental performance in order to maximize human wellness; and (c) *adaptability* – the ability to learn from the environment and change behavior based on that learning.

Please cite the article as:

Lu, Y., Adrados, J. S., Chand, S. S., & Wang, L. (2021). Humans Are Not Machines—Anthropocentric Human–Machine Symbiosis for Ultra-Flexible Smart Manufacturing. *Engineering*, 7(6), 734–737. <https://doi.org/10.1016/j.eng.2020.09.018>

Fig. 1. Anthropocentric human-machine symbiosis framework.

Fig. 1 presents a human-machine symbiosis framework in which humans and machines form intelligent teams to collectively sense, reason, and act in response to incoming manufacturing tasks and contingencies. The main communication channels between humans and machines are discussed in Section 2.1, while human-machine understandings are addressed in Section 2.2. Section 2.3 presents our perspective on human-machine collaborative intelligence. Section 2.4 discusses human-centered collaboration mechanisms, which are a crucial feature of future human-machine teams.

2.1 Human-machine communication

Human-machine communication can be established via a variety of communication channels, such as voice commands [13,14], gestures [13,15–17], body pose [15,18], brainwaves [19,20], and augmented reality (AR)/virtual reality (VR) [21–23], in addition to traditional human-machine interfaces. These new communication channels, which are enabled by AI technologies such as image processing and speech recognition, have brought human-machine communication much closer to natural human interactions. Table 1 lists typical human-machine communication channels according to application scenario and usability. Voice commands, physical interactions, text, image, video, AR and VR can be used for bidirectional communications between humans and machines, and are generally easy to use if developed properly. Gesture, body pose, and brainwave recognition, although promising, are more suitable for human-to-machine communication and can be cumbersome to implement in a factory environment.

Table 1 Human-machine communication channels.

Method	Human-to-machine	Machine-to-human	Usability*
Voice commands	✓	✓	High
Physical inputs/outputs	✓	✓	High
Text	✓	✓	High
Image	✓	✓	Medium
Video	✓	✓	Medium
AR/VR	✓	✓	Medium
Gesture	✓	–	Medium
Body pose	✓	–	Medium
Brainwaves	✓	–	Low

* The usability evaluation of these technologies is the authors' qualitative assessment of their effectiveness, efficiency, and satisfactoriness. No solid quantitative comparison between these technologies in the context of human-machine communication is available yet.

Please cite the article as:

Lu, Y., Adrados, J. S., Chand, S. S., & Wang, L. (2021). Humans Are Not Machines—Anthropocentric Human–Machine Symbiosis for Ultra-Flexible Smart Manufacturing. *Engineering*, 7(6), 734–737. <https://doi.org/10.1016/j.eng.2020.09.018>

In addition to exchanging information between humans and machines, communication must adapt to content, context, and identity. Human-machine communication is dynamic, contingent upon the messages being exchanged at a specific moment within a particular context. Effective machine-to-human communications tailor the communication style based on (1) the nature of the content, such as whether the content is a suggestion, warning, or instruction; (2) the context, such as whether a machine is taking an assistive role or not, and whether the situation is time-critical or not; and (3) the culture, education background, and communication style of the human partner, such as whether the human partner is from a high-context or a low-context culture [24].

2.2 Human-machine understanding: Empathy skills

Physical and mental state can have a significant influence on personal work performance [25,26]. Physical responses, such as muscle fatigue build-up [12] and bad posture [27], can lead to increased difficulty in performing manufacturing tasks [28,29]. Mental responses, such as a high cognitive workload, can result in higher stress levels and lower satisfaction, ultimately reducing productivity [12,30]. Therefore, accurate assessment of human physical workload, cognitive workload, and the psychological reactions (e.g., emotions) in human-machine collaborations are essential for improving human performance. In a human-machine collaboration context, dynamic human physical, cognitive, and psychological states can be detected via indirect inference from signals, such as emotional prosody [31,32], facial expressions [33–35], body poses [36,37], electromyography (EMG) [38], eye gaze, and pupil dilation [38,39]. In the future, machines would have to possess the skills to observe a human counterpart’s physical and mental state, establish a human-centric world model, and generate empathic behaviors that would be perceived as compassionate interactions in human environments. The ultimate goal of developing empathy skills in smart machines is to establish trust and respect between humans and machines—as these have been found to be fundamental to many social interactions [40], including collaborations – in order to boost human-machine team performance and satisfaction.

It is also vital for humans to understand and care about the “health” of smart machines, through which better human-machine relationships can be developed in return. Machine health can include quantitative measures associated with workload, task fluctuation levels, and so forth. Dynamic task allocation and adjustment based on human and machine states of health can help maximize human-machine team performance.

2.3 Human-machine collaborative intelligence

Human-machine symbiosis also requires a rethinking of how control algorithms are developed in intelligent systems. A survey of 1500 companies in 12 industries found that companies achieve the most significant performance improvements when humans and systems join forces to form collaborative intelligence, rather than intelligence being dominated by AI algorithms [41]. In an intelligent human-machine collaboration setting, human and machine agents form a partnership that aims at optimizing team benefits and maximizing their own long-term returns, through interactions with the environment and other agents. A smart machine can generate adaptive execution strategies to tailor to the dynamic working environment and the state of its human partners. In a high-performing team, smart machine and human agents will establish a fully cooperative planning and control relationship by leveraging each other’s complementary strengths. In this regard, learning-based algorithms, such as multi-agent reinforcement learning, could be a promising option to achieve adaptive collaborative decision-making in a human-machine team.

2.4 Human-centered collaboration mechanisms

Based on natural human-machine communications, including empathic understanding, we believe that anthropocentric production [42] will become possible. Future human-machine teams will need to place human needs and well-being at the center of manufacturing planning and control, instead of

Please cite the article as:

Lu, Y., Adrados, J. S., Chand, S. S., & Wang, L. (2021). Humans Are Not Machines—Anthropocentric Human–Machine Symbiosis for Ultra-Flexible Smart Manufacturing. *Engineering*, 7(6), 734–737. <https://doi.org/10.1016/j.eng.2020.09.018>

continuing the current practices of system-oriented optimization in manufacturing control. The transition from dedicated manufacturing systems to flexible unstructured human-machine collaboration creates huge challenges and opportunities in ensuring manufacturing productivity and human worker wellness [43,44]. Highly adaptive and reconfigurable systems with real-time data-processing capabilities are required to address ergonomics issues while ensuring productivity in human-machine collaboration. For example, the physiological or psychological state of a human worker can be considered in human-in-the-loop manufacturing control, resulting in adaptive labor demands planning without affecting the overall production efficiency [45]. More importantly, humans will need to be given maximum working freedom, supported by empathic machines that can adaptively assist human workers in completing manufacturing tasks. Real-time planning and re-planning algorithms are required to handle human behavior contingencies and refine plans based on the real-time observation of task progress and human wellness.

3. Discussion

Human-machine symbiosis can create significant changes to future production systems and human workers. We believe anthropocentric human-machine symbiosis can enable the following long-term benefits:

- **Human well-being:** Human-machine symbiosis can significantly improve human wellness and satisfaction at work due to the change for human workers from playing a subservient role to taking on a dominant role in manufacturing. The physical and emotional state of human workers will be constantly tracked and optimized in human-machine collaborations.
- **Manufacturing flexibility:** Human-machine symbiosis can increase the flexibility of manufacturing systems and processes. Manufacturing systems and processes can be reconfigured on the fly to respond to the dynamics of products, human behavior, and production systems. The shift from rigid manufacturing setups to flexible systems will enable on-demand manufacturing strategies for producing individualized products with dynamic batch sizes.
- **Human and machine capacity development:** With intelligent algorithms based on AI, humans and machines can learn and develop their capacity from coworking experiences. Humans can absorb new knowledge and skills through trustworthy and intimate interactions with intelligent machines that can assist and guide human workers in a socially appropriate way. On the other side, machines can also improve their technical and interpersonal skills based on interactions with different people.

4. Conclusions

We believe that the advancement of AI technologies will make anthropocentric production possible. Humans will be liberated from repetitive, fixed tasks that were designed to maximize manufacturing system performance; instead, humans can work in a dominant role with on-demand assistance from smart machines. Empathic machines and high-performance human coworkers in dynamic coexistence settings will make manufacturing more resilient, flexible, and sustainable. We encourage more research into redefining human roles in the future of manufacturing.

Acknowledgments

This study was supported by grants from The University of Auckland FRDF New Staff Research Fund (Contract No: 3720540).

Please cite the article as:

Lu, Y., Adrados, J. S., Chand, S. S., & Wang, L. (2021). Humans Are Not Machines—Anthropocentric Human–Machine Symbiosis for Ultra-Flexible Smart Manufacturing. *Engineering*, 7(6), 734–737. <https://doi.org/10.1016/j.eng.2020.09.018>

Compliance with ethics guidelines

The authors declare that they have no conflict of interest or financial conflicts to disclose.

References

- [1] Kagermann H, Helbig J, Hellinger A, Wahlster W. Recommendations for implementing the strategic initiative INDUSTRIE 4.0: securing the future of German manufacturing industry. Final report of the Industrie 4.0 Working Group. Berlin: Federal Ministry of Education and Research; 2013 Apr.
- [2] Lu Y, Xu X, Wang L. Smart manufacturing process and system automation—a critical review of the standards and envisioned scenarios. *J Manuf Syst* 2020;56:312–25.
- [3] Mittal S, Khan MA, Romero D, Wuest T. Smart manufacturing: characteristics, technologies and enabling factors. *Proc Inst Mech Eng Part B-J Eng Manuf* 2017;233(5):1342–61.
- [4] Zhong RY, Xu X, Klotz E, Newman ST. Intelligent manufacturing in the context of industry 4.0: a review. *Engineering* 2017;3(5):616–30.
- [5] Bauer M, Lecrubier Y, Suppes T. Awareness of metabolic concerns in patients with bipolar disorder: a survey of European psychiatrists. *Eur Psychiatry* 2008;23(3):169–77.
- [6] Wang L, Gao R, Váncza J, Krüger J, Wang XV, Makris S, et al. Symbiotic human-robot collaborative assembly. *CIRP Ann* 2019;68(2):701–26.
- [7] Wang L. From intelligence science to intelligent manufacturing. *Engineering* 2019;5(4):615–8.
- [8] Zhou J, Li P, Zhou Y, Wang B, Zang J, Meng L. Toward new-generation intelligent. *Manuf Eng* 2018;4(1):11–20.
- [9] Gao L, Shen W, Li X. New trends in intelligent manufacturing. *Engineering* 2019;5(4):619–20.
- [10] Rosenbrock HH. Machines with a purpose. Oxford: Oxford University Press; 1990.
- [11] Gorecky D, Schmitt M, Loskyll M, Zühlke D. Human–machine-interaction in the industry 4.0 era. In: Proceeding of 2014 12th IEEE International Conference on Industrial Informatics (INDIN); 2014 Jul 27–30; Porto Alegre, Brazil. New York: IEEE; 2014. p.289–94.
- [12] Peruzzini M, Grandi F, Pellicciari M. Exploring the potential of operator 4.0 interface and monitoring. *Comput Ind Eng* 2020;139:105600.
- [13] Rogalla O, Ehrenmann M, Zollner R, Becher R, Dillmann R. Using gesture and speech control for commanding a robot assistant. In: Proceeding of 11th IEEE International Workshop on Robot and Human Interactive Communication; 2002 Sep 27; Berlin, Germany. New York: IEEE; 2002. p.454–9.
- [14] Cohen PR, Oviatt SL. The role of voice input for human–machine communication. *Proc Natl Acad Sci USA* 1995;92(22):9921–7.
- [15] Neto P, Norberto Pires J, Paulo Moreira A. High-level programming and control for industrial robotics: using a hand-held accelerometer-based input device for gesture and posture recognition. *Ind Robot* 2010;37(2):137–47.
- [16] Tellaeche A, Kildal J, Maurtua I. A flexible system for gesture based human–robot interaction. *Procedia CIRP* 2018;72:57–62.
- [17] Pavlovic VI, Sharma R, Huang TS. Visual interpretation of hand gestures for human–computer interaction: a review. *IEEE Trans Pattern Anal Mach Intell* 1997;19(7):677–95.
- [18] Liu H, Wang L. Human motion prediction for human–robot collaboration. *J Manuf Syst* 2017;44(Part 2):287–94.
- [19] Mohammed A, Wang L. Brainwaves driven human–robot collaborative assembly. *CIRP Ann* 2018;67(1):13–6.
- [20] Stephygraph LR, Arunkumar N. Brain-actuated wireless mobile robot control through an adaptive human–machine interface. In: Proceeding of the International Conference on Soft Computing Systems; 2015 Apr 23–May 13; Chennai, India. Berlin: Springer; 2016. p.537–49.
- [21] Majewski M, Kacalak W. Human–machine speech-based interfaces with augmented reality and interactive systems for controlling mobile cranes. In: Proceeding of International Conference on Interactive Collaborative Robotics; 2016 Aug 24–25; Budapest, Hungary. Berlin: Springer; 2016. p.89–98.
- [22] Lee T, Hollerer T. Handy AR: markerless inspection of augmented reality objects using fingertip tracking. In: Proceeding of 2007 11th IEEE International Symposium on Wearable Computers; 2007 Oct 11–13; Boston, MA, US. New York: IEEE; 2007. p.83–90.

Please cite the article as:

Lu, Y., Adrados, J. S., Chand, S. S., & Wang, L. (2021). Humans Are Not Machines—Anthropocentric Human–Machine Symbiosis for Ultra-Flexible Smart Manufacturing. *Engineering*, 7(6), 734–737. <https://doi.org/10.1016/j.eng.2020.09.018>

-
- [23] Grajewski D, Górski F, Zawadzki P, Hamrol A. Application of virtual reality techniques in design of ergonomic manufacturing workplaces. *Procedia Comput Sci* 2013;25:289–301.
- [24] Hall ET, Hall MR. Understanding cultural differences. New York: Intercultural Press Inc; 1989.
- [25] Marcora SM, Staiano W, Manning V. Mental fatigue impairs physical performance in humans. *J Appl Physiol* 2009;106(3):857–64.
- [26] Yung M, Kolus A, Wells R, Neumann WP. Examining the fatigue-quality relationship in manufacturing. *Appl Ergon* 2020;82:102919.
- [27] Busch B, Maeda G, Mollard Y, Demangeat M, Lopes M. Postural optimization for an ergonomic human–robot interaction. In: *Proceeding of 2017 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*; 2017 Sep 24–28; Vancouver, BC, Canada. New York: IEEE; 2017. p.2778–85.
- [28] Kim W, Lorenzini M, Balatti P, Wu Y, Ajoudani A. Towards ergonomic control of collaborative effort in multi-human mobile-robot teams. In: *Proceeding of 2019 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*; 2019 Nov 3–8; Macau, China. New York: IEEE; 2019. p.3005–11.
- [29] Marin AG, Shourijeh MS, Galibarov PE, Damsgaard M, Fritzsche L, Stulp F. Optimizing contextual ergonomics models in human–robot interaction. In: *Proceeding of 2018 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*; 2018 Oct 1–5; Madrid, Spain. New York: IEEE; 2018. p.8603–8.
- [30] Ding Y, Cao Y, Duffy VG, Wang Y, Zhang X. Measurement and identification of mental workload during simulated computer tasks with multimodal methods and machine learning. *Ergonomics* 2020;63(7):896–908.
- [31] Schuller B, Rigoll G, Lang M. Hidden Markov model-based speech emotion recognition. In: *Proceeding of 2003 IEEE International Conference on Acoustics, Speech, and Signal Processing 2003 (ICASSP '03)*; 2003 Apr 6–10; Hong Kong, China. New York: IEEE; 2003. p.401–4.
- [32] El Ayadi M, Kamel MS, Karray F. Survey on speech emotion recognition: features, classification schemes, and databases. *Pattern Recognit* 2011;44(3):572–87.
- [33] Busso C, Deng Z, Yildirim S, Bulut M, Lee CM, Kazemzadeh A, et al. Analysis of emotion recognition using facial expressions, speech and multimodal information. In: *Proceeding of the 6th international conference on Multimodal interfaces*; 2014 Oct 13–15; State College, PA, US. New York: Association for Computing Machinery; 2014. p.205–11.
- [34] Ioannou SV, Raouzaïou AT, Tzouvaras VA, Mailis TP, Karpouzis KC, Kollias SD. Emotion recognition through facial expression analysis based on a neurofuzzy network. *Neural Netw* 2005;18(4):423–35.
- [35] Cohen I, Garg A, Huang TS. Emotion recognition from facial expressions using multilevel HMM. In: *Proceedings of the Neural Information Processing Systems: Natural and Synthetic 14*; 2000 Nov 28–30; Denver, CO, USA.
- [36] Schindler K, Van Gool L, de Gelder B. Recognizing emotions expressed by body pose: a biologically inspired neural model. *Neural Netw* 2008;21(9):1238–46.
- [37] McColl D, Zhang Z, Nejat G. Human body pose interpretation and classification for social human–robot interaction. *Int J Soc Robot* 2011;3(3):313–32.
- [38] Sadrifaridpour B, Saeidi H, Burke J, Madathil K, Wang Y. Modeling and control of trust in human–robot collaborative manufacturing. In: Ranjeev M, Donald S, Alan W, Lawless WF, editors. *Robust intelligence and trust in autonomous systems*. New York: Springer; 2016. p.115–42.
- [39] Hogervorst MA, Brouwer AM, van Erp JBF. Combining and comparing EEG, peripheral physiology and eye-related measures for the assessment of mental workload. *Front Neurosci* 2014;8:322.
- [40] Lee J, Moray N. Trust, control strategies and allocation of function in human–machine systems. *Ergonomics* 1992;35(10):1243–70.
- [41] Wilson HJ, Daugherty PR. Collaborative intelligence: humans and AI are joining forces. *HBR* 2018;96(4):114–23.
- [42] Rauch E, Linder C, Dallasega P. Anthropocentric perspective of production before and within Industry 4.0. *Comput Ind Eng* 2019;139:105644.
- [43] Hägele M, Schaaf W, Helms E. Robot assistants at manual workplaces: effective co-operation and safety aspects. In: *Proceeding of the 33rd ISR (International Symposium on Robotics)*; 2002 Oct 7–11; Stockholm, Sweden Stockholm. Berlin: Springer; 2002.
- [44] Ferraguti F, Villa R, Landi CT, Zanchettin AM, Rocco P, Secchi C. A unified architecture for physical and ergonomic human–robot collaboration. *Robotica* 2019;38(4):1–15.
- [45] Stankovic JA. Research directions for the internet of things. *IEEE Internet Things J* 2014;1(1):3–9.