## A Computationally-Inexpensive Strategy in CT Image Data Augmentation for Robust Deep Learning Classification of COVID-19

Yikun Hou $^{1}$  and Miguel Navarro-Cía $^{2}$ 

 $^{1}{\rm University}~{\rm of}~{\rm Birmingham}\\ ^{2}{\rm Affiliation}~{\rm not}~{\rm available}$ 

October 30, 2023

## Abstract

Coronavirus disease 2019 (COVID-19) has spread globally for two years, and chest computed tomography (CT) has been used to diagnose COVID-19 and identify lung damage in long COVID-19 patients. At the beginning of the epidemic, there was a shortage of large and publicly available CT datasets due to privacy concerns. Therefore, it is important to classify CT scans correctly when only limited resources are available, as it will happen again in future pandemics. We followed the transfer learning procedure and limited hyperparameters to use as few computing resources as possible. The Advanced Normalisation Tools (ANTs) were used to synthesise images as augmented/independent data and trained on EfficientNet to investigate the effect of synthetic images. On the COVID-CT dataset, classification accuracy increased from 91.15% to 95.50% and Area Under the Receiver Operating Characteristic (AUC) from 96.40% to 98.54%. We also customised a small dataset to simulate data collected in the early stages of the outbreak and improve accuracy from 85.95% to 94.32% and AUC from 93.21% to 98.61%. This paper provides a feasible solution with a relatively low computational cost for medical image classification when scarce data are available and traditional data augmentation may fail.

This work has been submitted to the IEEE for possible publication. Copyright may be transferred without notice, after which this version may no longer be accessible.

# A Computationally-Inexpensive Strategy in CT Image Data Augmentation for Robust Deep Learning Classification of COVID-19

Yikun Hou, and Miguel Navarro-Cía, Senior Member, IEEE

Abstract—Coronavirus disease 2019 (COVID-19) has spread globally for two years, and chest computed tomography (CT) has been used to diagnose COVID-19 and identify lung damage in long COVID-19 patients. At the beginning of the epidemic, there was a shortage of large and publicly available CT datasets due to privacy concerns. Therefore, it is important to classify CT scans correctly when only limited resources are available, as it will happen again in future pandemics. We followed the transfer learning procedure and limited hyperparameters to use as few computing resources as possible. The Advanced Normalisation Tools (ANTs) were used to synthesise images as augmented/independent data and trained on EfficientNet to investigate the effect of synthetic images. On the COVID-CT dataset, classification accuracy increased from 91.15% to 95.50% and Area Under the Receiver Operating Characteristic (AUC) from 96.40% to 98.54%. We also customised a small dataset to simulate data collected in the early stages of the outbreak and improve accuracy from 85.95% to 94.32% and AUC from 93.21% to 98.61%. This paper provides a feasible solution with a relatively low computational cost for medical image classification when scarce data are available and traditional data augmentation may fail.

*Index Terms*—COVID-19, Computed Tomography, Deep Learning, Data Augmentation

#### I. INTRODUCTION

**S**<sub>(SARS-CoV-2)</sub> and its variants cause the coronavirus 2 disease 2019 (COVID-19) pandemic. There have been 386 million confirmed cases of COVID-19 and approximately 5.7 million deaths as of February 2022 [1]. Fever, cough, myalgia and fatigue are common symptoms of patients infected by COVID-19 [2].

Patients with COVID-19 are usually confirmed by reverse transcription polymerase chain reaction (RT-PCR) testing. However, RT-PCR cannot effectively detect COVID-19 at the early stage of the outbreak due to its low sensitivity [3], [4]. Besides, suspected patients often cannot be tested in time because of the shortage of RT-PCR test kits during the same

Manuscript received February 15, 2022. This work was supported in part by the Engineering and Physical Sciences Research Council under Grant No. EP/S018395/1. M.N.-C. also acknowledges support from University of Birmingham (Birmingham Fellowship). (*Corresponding author: Yikun Hou.*)

Yikun Hou is with the Department of Electronic, Electrical and Systems Engineering, University of Birmingham, Birmingham B15 2TT, United Kingdom (e-mail: yxh060@alumni.bham.ac.uk).

period. Therefore, radiological imaging methods like X-rays and chest computer tomography (CT) become complementary examinations to help clinicians diagnose COVID-19 correctly [5]-[7]. In addition, imaging methods especially CT can provide semi-quantitative analysis of pulmonary damage severity [8] and monitor the long-term lung damage of patients who have recovered from COVID-19 [9]. CT scans provide more detailed tissue and organ information than X-Rays, and CT is a useful tool to efficiently distinguish 'probably positive' and 'probably negative' patients [10]. Also, X-rays cannot detect any abnormalities of early infection of COVID-19 [11].

Since CT image analysis is time-consuming, researchers proposed an artificial intelligence (AI) model and proved it has potential to identify COVID-19 patients rapidly [12]. B. Wang et al. built an AI system to carry out the task of COVID-19 CT images classification, which can save about 30%-40% detection time [13]. S. Wang et al. modified the inception transferlearning model and obtained an accuracy of 79.3% in a dataset that included 740 COVID-19 and 325 non-COVID-19 CT images [14]. Wu et al. proposed a multi-view deep learning fusion model based on ResNet50, and achieved an accuracy of 76% [15]. Chen et al. applied UNet++ on a CT dataset that contained 35355 images, and achieved an accuracy of 98.85% [16]. Ardakani et al. tested ten different convolutional neural network (CNN) models and got the best performance with an accuracy of 99.51% and Area Under the Receiver Operating Characteristic (AUC) of 99.4% [17].

Unfortunately, most COVID-19 CT datasets cannot be shared with the public because they involve patients' privacy, which is a common problem in medical image analysis. Meanwhile, research results based on these datasets are difficult to reproduce. Although several datasets are open source, they do not have sufficient data for the training of deep learning models. To solve these two problems, He *et al.* proposed a self-supervised transfer learning approach and obtained an accuracy of 86% on a customised public COVID-19 CT dataset they built [18].

Transfer learning and data augmentation are helpful for

Miguel Navarro-Cía is with the School of Physics and Astronomy, and also with the Department of Electronic, Electrical and System Engineering, University of Birmingham, Birmingham B15 2TT, United Kingdom (e-mail: m.navarro-cia@bham.ac.uk).



## Fig. 1. Experimental design flowchart.

image classification when only limited data are available [19], [20]. Zhao et al. pre-trained the ResNet-v2 model on ImageNet-21k, then applied transfer learning and achieved an accuracy of 99.2% while detecting the COVID-19 cases [21]. Loey et al. explored a combination of traditional data augmentation methods and Conditional Generative Adversarial Nets (CGAN); the performances of COVID-19 CT classification on five deep learning models (AlexNet, VGGNet16, VGGNet19, GoogleNet, and ResNet50) were improved [22]. However, these two approaches are not always beneficial. Transfer learning may only slightly improve image classification performance because of the differences in data and tasks between source and target domain [23], [24]. Furthermore, pretrained weights are usually obtained from general-purpose datasets like ImageNet without COVID-19 CT scans. Data augmentation strategy significantly affects discriminative performance, but little work mentioned how to build a suitable strategy for medical image classification [25].

This work mainly aims to improve COVID-19 CT classification performance based on a deep transfer learning model in a realistic scenario that reflects the early stage of the outbreak of the COVID-19 and any epidemic: (*i*) Scarcity of labelled COVID-19 CT images for training; (*ii*) Data may come from multiple sources; (*iii*) Only limited computing resources may be accessed.

We improved the accuracy from 91.15% to 95.50% in a typical early open-source COVID-19 CT dataset by using synthetic CT images synthesised by Advanced Normalisation Tools (ANTs) as augmented data in EfficientNet-B2. A customised dataset was built to verify the benefit of synthetic

images. Notably, most layers were frozen in the process of transfer learning, and we adjusted hyperparameters empirically, so that the classification task with relatively low computational cost.

2

Results implied that ANTs could be a potential alternative to Generative Adversarial Networks (GANs) to synthesise images in medical image classification tasks. We hope that this study could provide a new possibility for rapid computer-aided diagnosis in the field of medical imaging in the early stage of future epidemics.

The rest paper is organised as follows. Section II introduces the methodology, including datasets, synthetic images, and the design of experiments. Results and discussion are described in sections III and IV, respectively. Finally, section V presents the conclusion.

#### II. MATERIALS AND METHODOLOGY

In this section, we introduce the datasets, synthesis of images and configuration of the deep learning model. Fig. 1 illustrates a flowchart reflecting all datasets we used and the experimental design.

## A. Datasets Introduction

1) COVID-CT Dataset: Yang et al. built the COVID-CT dataset, an open-sourced dataset that includes 349 COVID-19 and 463 non-COVID-19 CT images, and obtained a classification accuracy of 89% in a model based on multi-task learning and self-supervised learning [26]. Those images were extracted from numerous papers from multiple sources such as



Fig. 2. CT scans problems in the COVID-CT dataset. (a) Nonnormalisation contrast, (b) Embedded text, (c) White border. a), b) and c) have different resolutions.

medRxiv2, bioRxiv3, MedPix, LUNA, Radiopaedia and PubMed Central. In this case, some data belonging to one single source of this dataset were not continuous (e.g., most of the images were missing from a series of CTs of a patient). Besides, data from different sources were generated by different CT scanners worldwide. Compared with the use of data from a single source, it increases the difficulty of the classification, especially when data are insufficient.

Fig. 2 illustrates four problems found in Yang's COVID-CT dataset [26]: (*i*) non-normalisation contrast; (*ii*) embedded text; (*iii*) white border; (*iv*) resolutions inconsistency. Since the method proposed in this paper involves synthetic images based on these original images, only 246 COVID-19 and 377 non-COVID-19 CTs are retained in the dataset after selection.

Specifically, contrast intensity was re-mapped in the range of [0, 1]. The embedded text was an irrelevant feature for this classification task and interfered with model performance; therefore, images with two or more lines of embedded text were discarded, but the rest were kept as noisy data to prevent possible overfitting in the following classification task. We removed the white border by cropping to avoid generating a large number of synthetic images with irregular white borders. The solution for various resolutions will be described in the "resolution normalisation" subsection.

2) Custom Dataset: The custom dataset is originated from the COVID-CT dataset [26] and the SARS-CoV-2 CT-scan dataset [27]. To this end, we randomly selected 300 CT images (150 COVID-19 and 150 non-COVID-19 images) from each of these two datasets, and then built the custom dataset (600 images in total). The COVID-CT dataset [26] was introduced in the previous subsection. The SARS-CoV-2 CT scan dataset contained 1252 COVID CTs and 1230 non-COVID CT scans collected from hospitals in São Paulo, Brazil [27]. Angelov *et* 



Fig. 3. The synthesis process through ANTs. (a) Original "fixed" image, (b) Original "moving" image, (c) Scaled "fixed" image, (d) Scaled "moving" image, (e) Synthesised image through ANTs, (f) an example of synthetic image without zero padding.

*al.* built it and achieved an accuracy of 97.38% in an eXplainable Deep Learning approach (xDNN) [27]. As the previous subsection mentioned, (i) and (iv) were observed in this dataset. We only obtained 1252 COVID-19 and 1229 non-COVID-19 CT images when we accessed the dataset [28].

## B. Synthetic CT Images

1) Selection of Synthesis Methods: Generative Adversarial Networks (GANs) [29] are commonly used to expand datasets by synthesising diverse and realistic images, particularly in the biomedical domain [30]-[32]. Methods based on GANs have been applied to generate high-quality COVID-19 CT images [33, 34]. However, GANs usually require enormous data with high computational cost, especially when high-quality and high-resolution synthetic images are needed [35], [36]. Besides, Yi *et al.* pointed out that most works on synthesising medical images through GANs adopt metrics like Mean Absolute Error (MAE), Peak Signal-to-Noise Ratio (PSNR), and Structural Similarity Index Measure (SSIM) that could not correspond to the visual quality of images [37].

To reduce the dependence of the high-performance hardware, we utilised the Advanced Normalisation Tools (ANTs), initially designed for deformable image registration with small or large deformations, to synthesise CT images [38].

ANTs provided a technique called "morphing" based on Geodesic Image Interpolation (GII). Avants *et al.* used GII to simulate the missing volumetric brain images from two in a



Fig. 4. Synthetic images with different parameters in ANTs (the input image pair is the same as Fig. 3).



Fig. 5. Synthetic images with significant distortion.

series of images, and proved that it offers 25-30% better intensity accuracy than linear interpolation [39]. It is a feasible and potentially efficient method to synthesise images, especially when dealing with images from multiple data sources or defective image set with partial missing data.

Suppose there are two "controlled" images, one is a "fixed" image and the other is a "moving" image. Applying "morphing" will force the "moving" image to be partially deformed to the "fixed" image. The "morphing" function allows us to synthesise one or more images at a specific position between two images. Fig. 3 illustrates an example of the synthesis. Fig. 4 shows synthetic images obtained when the same set of "controlled" images is applied with different parameters in ANTs.

Given that some of the images in the COVID-CT dataset only presented a single slice per patient, and both the patients as well as CT scanners information was erased, we could not use ANTs as they were intended. Besides, to the best of our knowledge, currently no guidance for synthesising images through ANTs under such conditions exists. This void is addressed here as described next.

Previous works demonstrated that the larger the feature gap between the "controlled" images, the higher the probability of generating a greatly distorted image. Fig. 5 shows examples of heavily distorted synthetic images. Intuitively, visual similarity based on the subjective visual perception of researchers can be used to select image pairs. We also introduced Haar waveletbased perceptual similarity index (HaarPSI) [40] as a measurable metric to do the same job for a comparison. HaarPSI is a computationally inexpensive image similarity and quality evaluation metric widely used in the medical image domain [41]-[43].

2) Resolution Normalisation: Images should be resized to a uniform resolution before inputting into a convolutional neural

network. In addition, the probability of synthesising images with large degree distortion can be reduced by using same size images.

Usually, with image resolution between  $256 \times 256$  pixels and  $448 \times 448$  pixels, AUC achieved the maximum value in binary classification tasks of the chest radiograph undertaken by the convolutional neural network (CNN) [44]. To minimise the computational cost, we resized all CT images to  $260 \times 260$  pixels which is the input shape of EfficientNet-B2 architecture.

To balance the computational cost and quality of synthetic images, we used bilinear interpolation (i.e., linear interpolation in two dimensions sequentially) to scale images instead of nearest-neighbour or bicubic interpolation. Two main scaling methods were considered: conventional bilinear interpolation with or without zero padding.

Zero padding (i.e., adding zero-value pixels to the borders of images) is proposed to enlarge small images to a fixed size without loss and improve image classification tasks' accuracy as well as time performance in CNNs. However, Hashemi pointed out that it did not affect the accuracy but significantly reduced the convergence time because zero input values did not activate convolutional units [45]. Hence, we attempted to combine the bilinear interpolation and zero padding. Furthermore, the aspect ratio was kept, and loss only came from interpolation.

We scaled each image based on the scale factor of width. For example, an image is  $W_0 \times H_0$  pixels and the target size is  $W_T \times H_T$  pixels. The scale factor F<sub>s</sub> is as follows:

$$F_S = \frac{W_T}{W_O} \tag{1}$$

Then the new height  $H_N$  is calculated as shown in the equation below:

$$H_N = H_0 \times F_S = H_0 \times \frac{w_T}{w_0} \tag{2}$$

If the new height  $H_N$  is smaller than the target height  $H_T$ , zero-value pixels are used to fill the blank between them, as shown in Fig. 3(c) and Fig. 3(d). On the contrary, the image will not participate in the synthesis instead of being cropped because cropping causes feature loss. Fortunately, the pre-processed COVID-CT dataset does not contain such images. In brief, the combined method only filled the top and bottom borders of the image instead of around the image compared with the original zero padding.

Another way to maintain the aspect ratio is to add cropping to the interpolation process. However, we believe that this impairs classification performance because cropping results in a loss of information.

## C. Implementation Details

1) Deep Learning Architecture: Deep learning has various applications in radiology, especially classification, segmentation and detection [46]. Many deep learning models can undertake the classification of COVID-19 CT scans, such as AlexNet, ResNet-50, Inception-v3, and Xception [47]-[49]. However, they have a large number of trainable parameters. For example, AlexNet has about 61 million parameters, which

TABLE I INPUT SHAPES OF EFFICIENTNET BASE MODELS

EfficientNet model	Input shape
EfficientNet-B0	224 pixels × 224 pixels
EfficientNet-B1	240 pixels × 240 pixels
EfficientNet-B2	260 pixels × 260 pixels
EfficientNet-B3	300 pixels × 300 pixels
EfficientNet-B4	380 pixels × 380 pixels
EfficientNet-B5	456 pixels × 456 pixels
EfficientNet-B6	528 pixels × 528 pixels
EfficientNet-B7	600 pixels × 600 pixels

needs enormous computing resources and plenty of time to train.

Tan and Le [50] developed the EfficientNet family that outperforms all previous models we mentioned in accuracy and efficiency when applied to the ImageNet dataset. Compared with traditional methods that scale one dimension (width, depth or resolution) of the network, the EfficientNet scales all these dimensions uniformly by a compound coefficient. Therefore, EfficientNet allows people to arbitrary choose width/depth/resolution according to the compound scaling formula:

 $Depth: d = \alpha \phi$   $Width: w = \beta \phi$   $Resolution: r = \gamma \phi$   $Constrain 1: \alpha \cdot \beta^{2} \cdot \gamma^{2} \approx 2$   $Constrain 2: \alpha \ge 1, \beta \ge 1, \gamma \ge 1$ (3)

Where  $\emptyset$  is a user-specified coefficient that reflects computing resources, and  $\alpha = 1.2$ ,  $\beta = 1.1$  as well as  $\gamma = 1.15$ are calculated by a grid search based on the EfficientNet-B0. However, the actual implementation is restricted by many factors (e.g., the channel size should be a multiple of 8 required by the building block). Hence, Keras only provides 8 classic EfficientNet models (B0-B7) with specific width/depth/resolution. Table I shows the input shape of these models.

Finally, we chose the EfficientNet-B2 (Input shape is  $260 \times 260$  pixels) due to the computational cost and the effect of CT image size concern (see the subsection "resolution normalisation").

2) Training Configurations: The EfficientNet-B2 model based on transfer learning with pre-trained weights from ImageNet was deployed in the experiment. Since we used a much smaller dataset than ImageNet, we applied extremely small learning rates to obtain incremental changes in performance. Besides, a large learning rate may cause the model to fail to converge in our experiments.

To further reduce the computational cost, we strictly limited some of the hyperparameters of the model. Only the top 20 layers could be trained, except for the built-in BatchNormalisation layers because they had non-trainable weights. Therefore, only 1,636,185 out of 7,775,610 were trainable parameters in Keras. Meanwhile, we empirically adjusted hyperparameters instead of grid or random search that cost enormous resources.

We used Adam optimiser to update weights and separately set the learning rate of the top layer and other unfrozen layers. The dropout rate [51] of the top layer was set to 0.2 to prevent overfitting. Datasets in baseline tests were split into a proportion of 80% and 20% for training and testing, respectively. Batch size and maximum epochs were set to 32 and 100 separately.

3) Data Augmentation: Data augmentation expands training datasets and enhances the data quality to solve the problems when meagre data can be accessed, especially medical data [52], [53]. It has been shown to improve the performance of deep learning models and help to correct overfitting [54]. Generally, it can be divided into two methods in image classification tasks: transformations of images and introducing new synthetic data. Although this work focuses on the effect of synthetic images, we still introduce the traditional data augmentation to compare performances.

Data augmentation methods are not omnipotent, and their specific drawbacks make them be unequally popular [55]. A commonly used combination was applied to our experiments: (*i*) rotation by a random amount in the range [ $-10\% \times 2\pi$ ,  $10\% \times 2\pi$ ]; (*ii*) random translation vertically or horizontally in the range [-10%, 10%]; (*iii*) flip each image vertically or horizontally; (*iv*) randomly adjust the contrast of images.

However, combining augmentation brings a complex impact and no guaranteed benefits. A study reported that data augmentation harmed deep learning models in detecting COVID-19 X-Ray images [56]. Therefore, we did not expect the typical augmentation combination to be advantageous, particularly when the capabilities of the deep learning model were limited.

4) Evaluation Criteria: Four metrics were applied to evaluate the classification performance: Accuracy, Precision, Recall and Area Under the Receiver Operating Characteristic (AUC) score. For these metrics, the higher, the better.

5) Design of Experiments: Experiments were carried on a laptop with Intel(R) Core(TM) i7-10875H CPU @ 2.30 GHz, 32GB RAM, NVIDIA GeForce RTX 2060 6G and Windows 10. Image normalisation was completed by Matlab, and image synthesis was done by ANTs on Linux. Keras/Tensorflow undertook the classification task in Python.

The first experiment explored the effect of different image resizing methods with or without traditional data augmentation. Then synthetic images were introduced and compared with the best model of the first experiment. Specifically, all synthetic images were firstly treated as an individual dataset, then trained on it and tested on the source dataset (i.e., the dataset provides "controlled" image pairs). Next, synthetic images were treated as augmented data to mix with the training set and validated on the testing set.

Silva *et al.* [57] proposed a cross-dataset test to evaluate the generalisation power of deep learning models and reported the best accuracy of 56.16% when training on the SARS-CoV-2 CT-scan dataset and testing on the COVID-CT dataset. The opposite scenario produced worse results because the training set was much smaller than the testing set [57]. Hence, we

#### TABLE II

COMPARISON OF DIFFERENT IMAGE PRE-RESIZING METHODS WITH OR WITHOUT TRADITIONAL DATA AUGMENTATION FOR THE COVID-CT DATASET.

Resizing method	Traditional data augmentation	Learning rate of top layer	Learning rate of other layers	Accuracy	AUC	Precision	Recall
Bilinear interpolation	No	$1 \times 10^{-2}$	$1 \times 10^{-4}$	91.15%	96.40%	89.22%	89.89%
-	Yes	$5 \times 10^{-4}$	$2 \times 10^{-5}$	74.81%	85.45%	89.38%	45.51%
Bilinear interpolation with	No	$1 \times 10^{-2}$	$1 \times 10^{-4}$	88.32%	96.26%	88.60%	83.07%
cropping	Yes	$5 \times 10^{-4}$	$2 \times 10^{-5}$	77.11%	86.10%	76.07%	66.30%
Bilinear interpolation with	No	$3 \times 10^{-4}$	$3 \times 10^{-5}$	86.06%	94.55%	85.64%	80.68%
zero padding	Yes	$5 \times 10^{-4}$	$2 \times 10^{-5}$	84.60%	91.18%	82.06%	81.23%

#### TABLE III

COMPARISON OF THE IMPACT OF SYNTHETIC IMAGES ON CLASSIFICATION PERFORMANCE ON THE COVID-CT DATASET.

Resizing method	Selection criteria for image pairs	Usage of synthetic images	Learning rate of top layer	Learning rate of other layers	Accuracy	AUC	Precision	Recall
Bilinear interpolation	Visual similarity	Individual	$7 \times 10^{-9}$	$3 \times 10^{-5}$	89.67%	96.60%	92.21%	80.71%
		Augmented	$1 \times 10^{-9}$	$1 \times 10^{-5}$	95.50%	98.54%	94.85%	93.81%
	HaarPSI	Individual	$2 \times 10^{-4}$	$2 \times 10^{-6}$	75.49%	82.87%	66.24%	77.39%
		Augmented	$2 \times 10^{-9}$	$3 \times 10^{-5}$	89.91%	96.78%	81.89%	96.00%
Bilinear interpolation	Visual similarity	Individual	$7 \times 10^{-9}$	$3 \times 10^{-5}$	86.24%	97.25%	96.39%	67.81%
with zero padding		Augmented	$1 \times 10^{-9}$	$1 \times 10^{-5}$	94.07%	98.65%	90.79%	94.86%
	HaarPSI	Individual	$2 \times 10^{-4}$	$2 \times 10^{-6}$	77.87%	84.03%	71.86%	72.28%
		Augmented	$2 \times 10^{-8}$	$1 \times 10^{-5}$	89.04%	94.70%	84.52%	88.67%

#### TABLE IV

PERFORMANCE COMPARISON BETWEEN OUR PROPOSED METHOD AND SOME EXISTING WORKS ON THE COVID-CT DATASET.

Author(s)	Model	Note	Accuracy	AUC	Precision	Recall
M. Loey et al. [22]	ResNet50	Traditional augmentation with CGAN	81.41%	-	-	80.85%
P. Silva et al. [57]	EfficientCovidNet	Traditional augmentation	87.68%	-	93.98%	79.59%
A. Shamsi et al. [58]	ResNet50	Linear SVM	87.9%	94.2%	-	86.5%
X. Yang et al. [26]	DenseNet-169	Contrastive self-supervised learning; Traditional augmentation	89.10%	98.10%	-	-
A. Saeedi et al. [59]	DenseNet-121	Nu-SVM classifier	90.61%	95.05%	89.76%	90.80%
Ours	EfficientNet-B2	ANTs	95.50%	98.54%	94.85%	93.81%
S. Chattopadhyay <i>et al.</i> [60]	Deep features of ResNet18	Clustering-based Golden Ratio Optimizer (CGRO)	99.31%	-	99%	100%

#### TABLE V

COMPARISON OF THE IMPACT OF SYNTHETIC IMAGES ON THE CLASSIFICATION PERFORMANCE OF THE CUSTOM DATASETS.

Resizingmethod	Selection criteria for image pairs	Usage of synthetic images	Learning rate of top layer	Learning rate of other layers	Accuracy	AUC	Precision	Recall
Bilinear	Visual similarity	Individual	$5 \times 10^{-6}$	$3 \times 10^{-5}$	82.32%	95.87%	95.77%	67.73%
interpolation	-	Augmented	$2 \times 10^{-3}$	$2 \times 10^{-5}$	94.32%	98.61%	93.66%	95.24%
	HaarPSI	Individual	$5 \times 10^{-6}$	$1 \times 10^{-5}$	70.02%	83.29%	84.20%	49.43%
		Augmented	$5 \times 10^{-3}$	$5 \times 10^{-5}$	90.08%	96.57%	89.46%	90.95%

merged the COVID-CT dataset and synthetic images as a training set and tested it on the SARS-CoV-2 CT-scan dataset to explore whether synthetic images enhance generalisation.

Finally, the custom dataset was built (see subsection "custom dataset") and tested to verify latent conclusions derived from previous experiments.

## III. Results

The baseline model applied bilinear interpolation as resizing method without data augmentation and achieved the best accuracy of 91.15% on the COVID-CT dataset. The use of cropping or interpolation with zero padding harmed the performance of the model (accuracy of 88.32% and 86.06% separately), and typical data augmentation methods had more severe adverse effects in this case. Table II reports the performance difference among the three resizing ways with or without traditional data augmentation.

The number of synthetic images is presented in Fig. 1. Synthetic images were treated as individual datasets and augmented data separately. Performances were less well than the source dataset baseline model when synthetic images were used as independent datasets. However, performance was improved when images were synthesised by visual similarity and became augmented data (Table III). Fig. 6 illustrates the accuracy curve and loss curve, which achieved an average accuracy of 95.50% when synthetic images were considered as augmented data. Table IV shows a comparison of our best results with other studies using the COVID-CT dataset [26].

Unfortunately, the model did not converge in the crossdataset test. Training on the COVID-CT and testing in the SARS-CoV-2 CT-scan dataset presented a poor accuracy of



Fig. 6. The training and validation accuracy (a) and loss curve (b) when synthetic images as augmented data on the COVID-CT dataset.

49.31%. Synthetic images seemed no benefit on the test. Adding images based on visual similarity or HaarPSI and both pre-resized by interpolation obtained the accuracy of 48.48% and 50.12%, respectively.

The baseline performance of the custom dataset without synthetic images obtained 85.95%, 93.21%, 87.27% and 84.60% accuracy, AUC, precision and recall separately. When traditional data augmentation was applied, they dropped to 78.29%, 84.80%, 81.07% and 75.16%, respectively. Table V shows the performance when synthetic images were considered and gives a similar performance trend to previous experiments. The best scenario increased the accuracy and AUC to 94.32% and 98.61% separately.

#### IV. DISCUSSION

The main goal of our experiments is to find a solution for classification tasks based on deep learning when limited data and computing resources are available. In such cases, traditional data augmentation methods based on basic image operations may fail. In the experiments, we selected a typical dataset, the COVID-CT dataset, created in the early stage of the epidemic and can be accessed by the public. To simulate a low computational power environment, we froze most of the trainable layers of EfficientNet-B2 and synthesised images through ANTs instead of GANs. Meanwhile, grid search, random search or other expensive hyperparameter tuning methods were forbidden.

In this work, we first proposed an image scaling method based on interpolation and zero padding and compared it with two other ways: bilinear interpolation or interpolation with cropping. As expected, although cropping maintains the aspect ratio of images, the loss of features impairs the model's performance. Unfortunately, the proposed resizing method also adversely affects the deep learning model in this case (Table II). It seems to be attributed to the same reason that zero values cannot activate the convolutional unit as [45] reported. Furthermore, the proposed method scaled all images to a given resolution, but the images were not filled with the same number of black pixels. Intuitively, the area of the black pixels generated by zero padding was not the same between scaled images, which directly led black pixels to blend into the surroundings and produce irregular black borders during synthesis, as shown in Fig. 5 (a).

Then we used interpolation and interpolation with padding to further synthesise images through ANTs. Visual similarity and HaarPSI were applied to select image pairs. When resizing methods were analysed independently, there was little difference in the impact of pre-resizing the image by interpolation or interpolation with zero padding. Synthesis based on visual similarity showed better performance improvements than HaarPSI when the effects of resizing approaches were ignored (Table III). In the best case, the accuracy and AUC improved from 91.15% to 95.50% and 96.40% to 98.54% separately after the synthetic images based on visual similarity and pre-resized by bilinear interpolation were added to the training set as augmented data.

When synthetic images were used as an independent dataset and validated on the source dataset, the performances were lower than the baseline model but still acceptable. It indicated that the generated images were diverse. A small number of images with significant distortion were synthesised, and we did not remove these data. We believe keeping these data can prevent overfitting when they are considered as augmented data. Additionally, cleaning this data may require the supervision of a radiologist.

Since the proposed resizing method did not show benefits in previous experiments, we decided only to adopt bilinear interpolation as the image resizing method.

To simulate the dilemma faced by researchers in the early stage of any outbreak, the lack of data and the wide range of data sources, we customised a dataset based on two open-source datasets: COVID-CT [26] and SARS-CoV-2 CT-scan [27]. When synthetic data were added, the accuracy significantly improved from 85.59% to 94.32%, which was a promising result and proved that synthetic images by ANTs could enhance the performance of the deep learning model. A research combined four datasets that included almost 2200 images, which is larger than our custom dataset, and obtained an accuracy of 90.91% based on machine learning [61].

The cross-dataset test showed current synthetic images used in this experiment did not contribute to the generalisation ability

We also found several limitations. Firstly, we did not clean the synthetic data, which means some synthetic images with significant distortions were kept and adversely affected the model. However, data cleaning in the field of medical imaging usually requires the assistance of radiology experts. Secondly, we only tested two similarity metrics: visual similarity and HaarPSI. In this case, the visual similarity is better, but we do not know how other metrics will behave in such scenarios. Since there is no current guidance for synthesising medical images based on similarity measurement through ANTs, we provide a simple approach that could be scrutinised further. In future works, we will evaluate more similarity metrics and pay close attention to advanced metrics that can better reflect visual similarity. Finally, only one commonly used combination of data augmentation was considered in our work. Although it performed poorly in this experiment, it may achieve a better result with careful fine-tuning. Future work should explore the efficient application of data augmentation to small datasets with diverse data.

The experiment was based on transfer learning to overcome the problem of data lack. However, some researchers pointed out that transfer learning that adopted pre-trained weights from general datasets like ImageNet offered limited performance gains due to the large discrepancy between the source and target data [18], [23], [62]. They also pointed out that much smaller deep learning architectures could perform comparably to the standard ImageNet models, which would further reduce the computational cost [23]. Hence, we will apply our approach to smaller models in the future.

Using synthesised images by ANTs improved the image classification performance on the restricted EfficientNet-B2. Also, the improvement did not require an additional search strategy of hyperparameters. Our results may hold true in a high computational cost situation like more complex deep learning models with larger datasets. A greater understanding of our findings may make synthetic medical images based on ANTs an alternative to GANs.

## V.CONCLUSION

In this study, we provided a feasible solution for classifying COVID-19 CT images based on deep learning with limited computing resources and data. Experiments showed that synthetic images based on ANTs could improve classification performance when traditional data augmentation failed or even backfired. Besides, ANTs use NIFTI (Neuroimaging Informatics Technology Initiative) files, a common format for medical images such as functional magnetic resonance imaging (fMRI), as input to synthesise images and distort patient information during synthesis to ensure anonymity. Meanwhile, with the benefit of relatively low computational cost, it is easier to be accepted and deployed by local hospitals, clinics and other medical institutions, especially in developing countries. We hope this work offers a new possibility for rapid image classification to assist diagnosis in the early stages of future epidemics.

## REFERENCES

- "WHO Coronavirus (COVID-19) Dashboard." World Health Organization. https://covid19.who.int/ (accessed Feb. 04, 2022).
- [2] C. Huang et al., "Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China," *The Lancet*, vol. 395, no. 10223, pp. 497-506, 2020, doi: 10.1016/s0140-6736(20)30183-5.
- [3] M. Dramé et al., "Should RT-PCR be considered a gold standard in the diagnosis of COVID-19?," (in eng), J Med Virol, vol. 92, no. 11, pp. 2312-2313, 2020, doi: 10.1002/jmv.25996.
- [4] T. Ai *et al.*, "Correlation of Chest CT and RT-PCR Testing for Coronavirus Disease 2019 (COVID-19) in China: A Report of 1014 Cases," *Radiology*, vol. 296, no. 2, pp. E32-E40, Aug 2020, doi: 10.1148/radiol.2020200642.
- [5] M. M. Islam, F. Karray, R. Alhajj, and J. Zeng, "A review on deep learning techniques for the diagnosis of novel coronavirus (covid-19)," *IEEE Access*, vol. 9, pp. 30551-30572, 2021.
  [6] D. Dong *et al.*, "The Role of Imaging in the Detection and
- [6] D. Dong et al., "The Role of Imaging in the Detection and Management of COVID-19: A Review," *IEEE Rev Biomed Eng*, vol. 14, pp. 16-29, 2021, doi: 10.1109/RBME.2020.2990959.
- [7] W. Yang *et al.*, "The role of imaging in 2019 novel coronavirus pneumonia (COVID-19)," *European Radiology*, vol. 30, no. 9, pp. 4874-4882, 2020/09/01 2020, doi: 10.1007/s00330-020-06827-4.
- [8] X. Ding, J. Xu, J. Zhou, and Q. Long, "Chest CT findings of COVID-19 pneumonia by duration of symptoms," *European Journal of Radiology*, vol. 127, p. 109009, 2020/06/01/ 2020, doi: https://doi.org/10.1016/j.ejrad.2020.109009.
- [9] X. Han et al., "Six-month Follow-up Chest CT Findings after Severe COVID-19 Pneumonia," Radiology, vol. 299, no. 1, pp. E177-E186, 2021, doi: 10.1148/radiol.2021203153.
- [10] H. A. Gietema *et al.*, "CT in relation to RT-PCR in diagnosing COVID-19 in The Netherlands: A prospective study," (in eng), *PLoS One*, vol. 15, no. 7, pp. e0235844-e0235844, 2020, doi: 10.1371/journal.pone.0235844.
- [11] M. J. Horry *et al.*, "COVID-19 Detection Through Transfer Learning Using Multimodal Imaging Data," *IEEE Access*, vol. 8, pp. 149808-149824, 2020, doi: 10.1109/ACCESS.2020.3016780.
- [12] X. Mei et al., "Artificial intelligence–enabled rapid diagnosis of patients with COVID-19," *Nature Medicine*, vol. 26, no. 8, pp. 1224-1228, 2020/08/01 2020, doi: 10.1038/s41591-020-0931-3.
- [13] B. Wang et al., "AI-assisted CT imaging analysis for COVID-19 screening: Building and deploying a medical AI system," Applied Soft Computing, vol. 98, p. 106897, 2021/01/01/ 2021, doi: https://doi.org/10.1016/j.asoc.2020.106897.
- [14] S. Wang *et al.*, "A deep learning algorithm using CT images to screen for Corona Virus Disease (COVID-19)," *European radiology*, pp. 1-9, 2021.
- X. Wu *et al.*, "Deep learning-based multi-view fusion model for screening 2019 novel coronavirus pneumonia: A multicentre study," *European Journal of Radiology*, vol. 128, p. 109041, 2020/07/01/ 2020, doi: https://doi.org/10.1016/j.ejrad.2020.109041.
- [16] J. Chen et al., "Deep learning-based model for detecting 2019 novel coronavirus pneumonia on high-resolution computed tomography," *Scientific Reports*, vol. 10, no. 1, p. 19196, 2020/11/05 2020, doi: 10.1038/s41598-020-76282-0.
- [17] A. A. Ardakani, A. R. Kanafi, U. R. Acharya, N. Khadem, and A. Mohammadi, "Application of deep learning technique to manage COVID-19 in routine clinical practice using CT images: Results of 10 convolutional neural networks," *Computers in Biology and Medicine*, vol. 121, p. 103795, 2020/06/01/ 2020, doi: https://doi.org/10.1016/j.compbiomed.2020.103795.
- [18] X. He et al., "Sample-efficient deep learning for COVID-19 diagnosis based on CT scans," medrxiv, 2020.
- [19] K. Weiss, T. M. Khoshgoftaar, and D. Wang, "A survey of transfer learning," *Journal of Big Data*, vol. 3, no. 1, p. 9, 2016/05/28 2016, doi: 10.1186/s40537-016-0043-6.
- [20] L. Taylor and G. Nitschke, "Improving Deep Learning with Generic Data Augmentation," in 2018 IEEE Symposium Series on Computational Intelligence (SSCI), 18-21 Nov. 2018 2018, pp. 1542-1547, doi: 10.1109/SSCI.2018.8628742. [Online]. Available: https://ieeexplore.ieee.org/document/8628742/
- [21] W. Zhao, W. Jiang, and X. Qiu, "Deep learning for COVID-19 detection based on CT images," *Scientific Reports*, vol. 11, no. 1, p. 14353, 2021/07/12 2021, doi: 10.1038/s41598-021-93832-2.

- [22] M. Loey, G. Manogaran, and N. E. M. Khalifa, "A deep transfer learning model with classical data augmentation and CGAN to detect COVID-19 from chest CT radiography digital images," *Neural Computing and Applications*, 2020/10/26 2020, doi: 10.1007/s00521-020-05437-x.
- [23] M. Raghu, C. Zhang, J. Kleinberg, and S. Bengio, "Transfusion: Understanding transfer learning for medical imaging," *arXiv* preprint arXiv:1902.07208, 2019.
- [24] L. Alzubaidi *et al.*, "Towards a better understanding of transfer learning for medical imaging: a case study," *Applied Sciences*, vol. 10, no. 13, p. 4523, 2020. [Online]. Available: https://www.mdpi.com/2076-3417/10/13/4523.
- [25] Z. Hussain, F. Gimenez, D. Yi, and D. Rubin, "Differential data augmentation techniques for medical imaging classification tasks," in AMIA annual symposium proceedings, 2017, vol. 2017: American Medical Informatics Association, p. 979. [Online]. Available: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5977656/pdf/2730

https://www.ncbi.nlm.nin.gov/pmc/articles/PMC59//656/pdf/2/30 723.pdf.

- [26] X. Yang, X. He, J. Zhao, Y. Zhang, S. Zhang, and P. Xie, "COVID-CT-dataset: a CT scan dataset about COVID-19," arXiv preprint arXiv:2003.13865, 2020.
- [27] P. Angelov and E. Almeida Soares, "SARS-CoV-2 CT-scan dataset: A large dataset of real patients CT scans for SARS-CoV-2 identification," *MedRxiv*, 2020.
- [28] "SARS-COV-2 Ct-Scan Dataset." https://www.kaggle.com/plameneduardo/sarscov2-ctscan-dataset (accessed Jul. 01, 2021).
- [29] I. Goodfellow *et al.*, "Generative adversarial nets," *Advances in neural information processing systems*, vol. 27, 2014.
- [30] C. Han *et al.*, "Combining noise-to-image and image-to-image GANs: brain MR image augmentation for tumor detection," *IEEE Access*, vol. 7, pp. 156966-156977, 2019.
- [31] F. Calimeri, A. Marzullo, C. Stamile, and G. Terracina, "Biomedical data augmentation using generative adversarial neural networks," in *International conference on artificial neural networks*, 2017: Springer, pp. 626-634.
- [32] A. Madani, M. Moradi, A. Karargyris, and T. Syeda-Mahmood, "Chest x-ray generation and data augmentation for cardiovascular abnormality classification," in *Medical Imaging 2018: Image Processing*, 2018, vol. 10574: International Society for Optics and Photonics, p. 105741M.
- [33] Y. Jiang, H. Chen, M. Loew, and H. Ko, "COVID-19 CT Image Synthesis With a Conditional Generative Adversarial Network," *IEEE Journal of Biomedical and Health Informatics*, vol. 25, no. 2, pp. 441-452, 2021, doi: 10.1109/JBHI.2020.3042523.
- [34] S. Liu *et al.*, "3d tomographic pattern synthesis for enhancing the quantification of covid-19," *arXiv preprint arXiv:2005.01903*, 2020.
- [35] M. Wiatrak, S. V. Albrecht, and A. Nystrom, "Stabilising generative adversarial networks: A survey," *arXiv preprint arXiv:1910.00927*, 2019.
- [36] T. Karras, M. Aittala, J. Hellsten, S. Laine, J. Lehtinen, and T. Aila, "Training generative adversarial networks with limited data," *arXiv* preprint arXiv:2006.06676, 2020.
- [37] X. Yi, E. Walia, and P. Babyn, "Generative adversarial network in medical imaging: A review," *Medical image analysis*, vol. 58, p. 101552, 2019.
- [38] B. B. Avants, N. Tustison, and G. Song, "Advanced normalisation tools (ANTS)," *Insight j*, vol. 2, no. 365, pp. 1-35, 2009.
- [39] B. B. Avants, C. L. Epstein, and J. C. Gee, "Geodesic image interpolation: Parameterizing and interpolating spatiotemporal images," in *International Workshop on Variational, Geometric, and Level Set Methods in Computer Vision*, 2005: Springer, pp. 247-258.
- [40] R. Reisenhofer, S. Bosse, G. Kutyniok, and T. Wiegand, "A Haar wavelet-based perceptual similarity index for image quality assessment," *Signal Processing: Image Communication*, vol. 61, pp. 33-43, 2018.
- [41] P. Sahu, H. Huang, W. Zhao, and H. Qin, "Using virtual digital breast tomosynthesis for de-noising of low-dose projection images," in 2019 IEEE 16th International Symposium on Biomedical Imaging (ISBI 2019), 2019: IEEE, pp. 1647-1651.
- [42] A. Kofler, M. Dewey, T. Schaeffter, C. Wald, and C. Kolbitsch, "Spatio-Temporal Deep Learning-Based Undersampling Artefact Reduction for 2D Radial Cine MRI With Limited Training Data,"

*IEEE Transactions on Medical Imaging*, vol. 39, no. 3, pp. 703-717, 2020, doi: 10.1109/TMI.2019.2930318.

- [43] A. Kofler et al., "Neural networks-based regularisation for largescale medical image reconstruction," *Physics in Medicine & Biology*, vol. 65, no. 13, p. 135003, 2020.
- [44] C. F. Sabottke and B. M. Spieler, "The effect of image resolution on deep learning in radiography," *Radiology: Artificial Intelligence*, vol. 2, no. 1, p. e190015, 2020.
- [45] M. Hashemi, "Enlarging smaller images before inputting into convolutional neural network: zero-padding vs. interpolation," *Journal of Big Data*, vol. 6, no. 1, p. 98, 2019/11/14 2019, doi: 10.1186/s40537-019-0263-7.
- [46] R. Yamashita, M. Nishio, R. K. G. Do, and K. Togashi, "Convolutional neural networks: an overview and application in radiology," *Insights into imaging*, vol. 9, no. 4, pp. 611-629, 2018.
- [47] T. Wang, Y. Zhao, L. Zhu, G. Liu, Z. Ma, and J. Zheng, "Lung CT image aided detection COVID-19 based on Alexnet network," in 2020 5th International Conference on Communication, Image and Signal Processing (CCISP), 13-15 Nov. 2020 2020, pp. 199-203, doi: 10.1109/CCISP51026.2020.9273512.
- [48] S. Walvekar and D. Shinde, "Detection of COVID-19 from CT images using resnet50," *Detection of COVID-19 from CT images* using resnet50 (May 30, 2020), 2020.
- [49] H. Ko et al., "COVID-19 pneumonia diagnosis using a simple 2D deep learning framework with a single chest CT image: model development and validation," *Journal of medical Internet research*, vol. 22, no. 6, p. e19569, 2020.
- [50] M. Tan and Q. Le, "Efficientnet: Rethinking model scaling for convolutional neural networks," in *International Conference on Machine Learning*, 2019: PMLR, pp. 6105-6114.
- [51] N. Srivastava, G. Hinton, A. Krizhevsky, I. Sutskever, and R. Salakhutdinov, "Dropout: a simple way to prevent neural networks from overfitting," *The journal of machine learning research*, vol. 15, no. 1, pp. 1929-1958, 2014.
- [52] C. Shorten and T. M. Khoshgoftaar, "A survey on Image Data Augmentation for Deep Learning," *Journal of Big Data*, vol. 6, no. 1, 2019, doi: 10.1186/s40537-019-0197-0.
- [53] L. Perez and J. Wang, "The effectiveness of data augmentation in image classification using deep learning," *arXiv preprint arXiv:1712.04621*, 2017.
- [54] P. Chlap, H. Min, N. Vandenberg, J. Dowling, L. Holloway, and A. Haworth, "A review of medical image data augmentation techniques for deep learning applications," *Journal of Medical Imaging and Radiation Oncology*, 2021.
- [55] M. F. Aslan, M. F. Unlersen, K. Sabanci, and A. Durdu, "CNNbased transfer learning–BiLSTM network: A novel approach for COVID-19 infection detection," *Applied Soft Computing*, vol. 98, p. 106912, 2021.
- [56] M. Elgendi *et al.*, "The effectiveness of image augmentation in deep learning networks for detecting COVID-19: A geometric transformation perspective," *Frontiers in Medicine*, vol. 8, 2021.
- [57] P. Silva et al., "COVID-19 detection in CT images with deep learning: A voting-based scheme and cross-datasets analysis," *Inform Med Unlocked*, vol. 20, p. 100427, 2020, doi: 10.1016/j.imu.2020.100427.
- [58] A. Shamsi et al., "An Uncertainty-Aware Transfer Learning-Based Framework for COVID-19 Diagnosis," *IEEE transactions on neural* networks and learning systems, vol. 32, no. 4, pp. 1408-1417, 2021.
- [59] A. Saeedi, M. Saeedi, and A. Maghsoudi, "A novel and reliable deep learning web-based tool to detect covid-19 infection from chest ctscan," arXiv preprint arXiv:2006.14419, 2020.
- [60] S. Chattopadhyay, A. Dey, P. K. Singh, Z. W. Geem, and R. Sarkar, "COVID-19 detection by optimising deep residual features with improved clustering-based golden ratio optimiser," *Diagnostics*, vol. 11, no. 2, p. 315, 2021.
- [61] S. Sharma, "Drawing insights from COVID-19-infected patients using CT scan images and machine learning techniques: a study on 200 patients," *Environmental Science and Pollution Research*, vol. 27, no. 29, pp. 37155-37163, 2020.
- [62] D. Chen, S. Ji, F. Liu, Z. Li, and X. Zhou, "A review of automated diagnosis of covid-19 based on scanning images," in 2020 6th International Conference on Robotics and Artificial Intelligence, 2020, pp. 97-104.